


# NIGHTSTICK®

Life Depends on Light™

## Professional Intrinsically Safe

Penlights, Flashlights,  
Dual-Lights & Headlamps



# 2014






# Understanding Dual-Light

**Flashlights:** Designed for distance illumination. The center spot makes them too bright for objects that are close.



**Floodlights:** Designed to light up things that are close. Wide, even lighting with no bright center spot.




A hand is holding a bright yellow flashlight. The flashlight has two beams of light emanating from its lens. One beam is a narrow, focused spot of light, while the other is a much wider, more diffuse beam. The background is dark, making the light beams stand out. The flashlight has the brand name 'myNightstick' visible on its side.

**Dual-Light:** Combines a flashlight and a floodlight into the same light. Two lighting tools in one. Completely transforming the way hand-held lights are used.

# Polymer Dual-Lights

These non-rechargeable dual-lights are cETLus, ATEX, IECEx and MSHA listed Intrinsically Safe Permissible for use in both above and below ground hazardous locations where explosive gases and dusts may be present. They each use a CREE® LED rated at 120 lumens that works in conjunction with a high-efficiency deep parabolic reflector to create a usable flashlight beam rated at 170 meters. A 120 lumens unfocused floodlight is integrated into the housing which is perfect for close-up illumination. Additionally both the flashlight and the floodlight can be turned on at the same time for maximum versatility. The dual body switches provide momentary or constant-on functionality for the flashlight and on/off functionality for the floodlight. Power comes from 3 AA batteries (not included).

**INTRINSICALLY SAFE**



Flashlight



Floodlight



Dual-Light



Floodlight



**XPP-5422G**

**120** Flashlight  
Lumens

**120** Floodlight  
Lumens



**XPP-5422B**

XPP-5422G




XPP-5422B



## FEATURES

- Flashlight – floodlight – dual-light
- CREE® LED technology – 50,000 + hours LED life
- Momentary or constant-on flashlight
- Sharp focused flashlight beam for distance illumination
- Unfocused wide-beam floodlight for close-up illumination
- Dual-light (flashlight & floodlight at same time) for maximum versatility
- Engineered polymer housing
- Non-slip grip with dual body switches
- Waterproof
- Impact & chemical resistant
- Built-in pocket/belt clip
- Includes removable lanyard
- Requires 3 AA batteries (not included)
- Available in black & green
- Limited Lifetime Warranty\*



Built in pocket/belt clip



Dual body switches




High-efficiency deep parabolic reflector



Wide-beam floodlight

## SPECIFICATIONS

- Lumens: flashlight-120, floodlight-120, dual-light-240
- Run-time: flashlight-17.5 hrs, floodlight-17.5 hrs, dual-light-4.5 hrs
- Beam distance: 170 meters
- Water rating: IP-X7 waterproof
- Drop rating: 2 meters
- Length: 7in, head diameter: 1.8in, handle diameter: 1.5 x 1.1in, weight: 6.9oz



## SAFETY RATING



Model	UPC 0 17398
XPP-5422G	80093 8
XPP-5422B	80094 5

Patent 7,738,229

# Polymer Flashlights

These non-rechargeable flashlights are cETLus, ATEX, IECEx and MSHA listed Intrinsically Safe Permissible for use in both above and below ground hazardous locations where explosive gases and dusts may be present. They each use a CREE® LED rated at 140 lumens that works in conjunction with a high-efficiency deep parabolic reflector to create a usable flashlight beam rated at 180 meters. The single body switch provides momentary or constant-on functionality. Power comes from 3 AA batteries (not included).

**INTRINSICALLY SAFE**



Flashlight



**XPP-5420G**

**140** Lumens



**XPP-5420B**

XPP-5420G



XPP-5420B





# Polymer Penlight

This non-rechargeable penlight is cETLus, ATEX and IECEx listed Intrinsically Safe for use in both above and below ground hazardous locations where explosive gases and dusts may be present. It is ultra-compact and super slim with a powerful light output designed to illuminate very tight spaces. The tail-cap switch provides momentary or constant-on functionality. Power comes from 2 AAA premium batteries (included).

**INTRINSICALLY SAFE**

Flashlight



**30 Lumens**


**XPP-5410G**

## FEATURES

- CREE® LED technology – 50,000 + hours LED life
- Momentary or constant-on flashlight
- Sharp focused beam for distance illumination
- Engineered polymer housing
- Single tail switch
- Waterproof
- Impact & chemical resistant
- Built-in pocket/belt clip
- Powered by 2 AAA batteries included
- Limited Lifetime Warranty\*



XPP-5410G




High-efficiency deep parabolic reflector



Push-button tail-cap switch

## SPECIFICATIONS

- Lumens: 30
- Run-time: 18 hrs
- Beam distance: 40 meters
- Water rating: IP-X7 waterproof
- Drop rating: 2 meters
- Length: 5.8in, head diameter: 0.9in, handle diameter: 0.7in, weight: 1.9oz



## SAFETY RATING

**NIGHTSTICK** 5410

CLASS I DIV 1 GRP I A-D T3  
 CLASS II & III DIV 1 GRP I E-G T133C  
 CLASS I ZONE 0 AEx Ia IIC T3 Gc  
 CLASS I ZONE 2 Ex ia IIC T3 Gc

IP X7  
 Ex ia IIC Ex ia op IIC T3 Gc  
 Ex ia op IIC T3 Gc  
 Ex ia op IIC T3 Gc  
 InherInt II 13 ATEX2133RX  
 IECEx IIS 14.0236X  
 -30°C to Tamb to +40°C  
 1.5V/2x AAA Alkaline

**cETLus**  
 ID 4031154  
 EXPLORER LIGHT STICK  
 5000000000000000

COMPLIES TO:  
 APPLICABLE IEC, ANSI, UL 800740  
 APPLICABLE IEC, ANSI, UL 800740  
 Certified to:  
 CAN/CSA STD C22.2 NO 187  
 CAN/CSA STD C22.2 NO 800740  
 CAN/CSA STD C22.2 NO 800741  
 CSA STD C22.2 NO 25

SEE INSTRUCTION MANUAL MFG MM-YY

Model	UPC 0 17398
XPP-5410G	80298 7

XPP-5410G

Patent 7,738,229






# Polymer Penlight

This non-rechargeable penlight is cETLus, ATEX and IECEx listed Intrinsically Safe for use in both above and below ground hazardous locations where explosive gases and dusts may be present. It is ultra-compact and super slim with a powerful light output designed to illuminate very tight spaces. The tail-cap switch provides momentary or constant-on functionality. Power comes from 3 AAAA premium batteries (included).

**INTRINSICALLY SAFE**

Flashlight



**50 Lumens**


**XPP-5412G**

## FEATURES

- CREE® LED technology – 50,000 + hours LED life
- Momentary or constant-on flashlight
- Sharp focused beam for distance illumination
- Engineered polymer housing
- Single tail switch
- Waterproof
- Impact & chemical resistant
- Built-in pocket/belt clip
- Powered by 3 AAAA batteries included
- Limited Lifetime Warranty\*



XPP-5412G




High-efficiency deep parabolic reflector



Push-button tail-cap switch

## SPECIFICATIONS

- Lumens: 50
- Run-time: 13.75 hrs
- Beam distance: 50 meters
- Water rating: IP-X7 waterproof
- Drop rating: 2 meters
- Length: 6.8in, head diameter: 0.6in, handle diameter: 0.5in, weight: 1.5oz



## SAFETY RATING

**NIGHTSTICK** 5412

CLASS I DIV 1 GRP5 A-C T3  
CLASS II & III DIV 1 GRP5 E-G T33C  
CLASS IZONE 0-ATEX Ia IIC T3 Gc  
CLASS IZONE 0-Ex ia IIC T3 Gc

3x AAAA Ex ia op II T Ma  
EEx I G Ex ia op II IC T3 Gc  
Ex ia op II Ma

INSTRUKTIS 13-A/EE27839X  
IECEx ITS 14.0036X  
-30°C si Tomb S +40°C  
1.5V/200mAh AAAA Alkaline

**cETLus**  
ID 4001154  
ELECTRICAL SAFETY  
SECURE APPROVAL

Contains 3x  
AAA/AAA 500mAh, ANSI/A A&P-1  
AAA/AAA 500mAh  
- Contains 1x  
CANDIDA LTD C222 NO 131  
CANDIDA LTD C222 NO 80079-0  
CANDIDA LTD C222 NO 80079-1  
C&A LTD C222 No 25

SEE INSTRUCTION MANUAL MFG MM-YY

Model	UPC 0 17398
XPP-5412G	80299 4

Patent 7,738,229

XPP-5412G



# Dual-Function Headlamp

This non-rechargeable dual-function headlamp is cETLus, ATEX and IECEX listed Intrinsically Safe for use in both above and below ground hazardous locations where explosive gases and dusts may be present. This headlamp features a multi-position tilt head design and includes an elastic head strap with a non-slip lining and a heavy-duty rubber head strap for use on a hard hat. The top mounted switch provides user selectable high or low brightness spotlight operation. Power comes from 3 AAA premium batteries (included).

**INTRINSICALLY SAFE**

Spot High      Spot Low



**XPP-5450G**

**60/40 Lumens  
Spotlight**

## FEATURES


- CREE® LED technology – 50,000 + hours LED life
- High-brightness spotlight, low-brightness spotlight
- Focused spotlight beam for distance illumination
- Engineered polymer housing
- Single switch located on top of light
- Adjustable ratchet tilt head
- Non-slip elastic head strap
- Heavy-duty rubber strap for hard hat applications
- Waterproof, impact & chemical resistant
- Powered by 3 premium AAA alkaline batteries (included)
- Limited Lifetime Warranty\*



*Heavy-duty rubber  
head strap*

## SPECIFICATIONS

- Lumens: high spotlight-60, low spotlight-40
- Run-time: high spotlight-13.5 hrs, low spotlight-22.75 hrs
- Beam distance: 80 meters
- Water rating: IP-X7
- Drop rating: 2 meters
- Width: 2.4in, height: 1.9in, depth: 1.8in, weight: 3.5oz



## SAFETY RATING

CLASS I DIV 1 GRP A-D I3  
CLASS II & III DIV 1 GRPS E-G I133C  
CLASS I ZONE 0 AEx ia IIC T3 Gc  
CLASS I ZONE 0 Ex ia IIC T3 Gc  
I M1 Ex ia I Ma  
I I 1 G Ex ia IIC T3 Gc  
Ex ia I Ma  
Ex ia IIC T3 Gc  
Intrinsic IS I3 AEx ia IIC T3 Gc  
IECEx EEx ia IIC T3 Gc  
-20°C to Tamb to +60°C  
1.5V Cell AAA Alkaline  
CE



ID 4001184  
NIGHT STICK I 5450  
30 CALIBRE INTERNATIONAL

Conforms to:  
ANSI/IES F15, ANSI/ISA 60079-0,  
ANSI/ISA 60079-11  
Certified for:  
CAN/CSA STD C22.2 NO 137  
CAN/CSA STD C22.2 No. 60079-0  
CAN/CSA STD C22.2 No. 60079-11  
CSA STD C22.2 No. 25

Model	UPC 0 17398
XPP-5450G	80300 7

Patent 7,738,229

XPP-5450G



# Dual-Function Headlamp

This non-rechargeable dual-function headlamp is cETLus, ATEX and IECEx listed Intrinsically Safe for use in both above and below ground hazardous locations where explosive gases and dusts may be present. This headlamp features a multi-position tilt head design and includes an elastic head strap with a non-slip lining and a heavy-duty rubber head strap for use on a hard hat. The top mounted switch provides user selectable high or low brightness spotlight operation. Power comes from 3 AAA premium batteries (included).

**INTRINSICALLY SAFE**

Spot High

Spot Low



**115/65 Lumens Spotlight**

**XPP-5452G**

## FEATURES


- CREE® LED technology – 50,000 + hours LED life
- High-brightness spotlight, low-brightness spotlight
- Focused spotlight beam for distance illumination
- Engineered polymer housing
- Single switch located on top of light
- Adjustable ratchet tilt head
- Non-slip elastic head strap
- Heavy-duty rubber strap for hard hat applications
- Waterproof, impact & chemical resistant
- Powered by 3 premium AAA alkaline batteries (included)
- Limited Lifetime Warranty\*



Heavy-duty rubber head strap

## SPECIFICATIONS

- Lumens: high spotlight-115, low spotlight-65
- Run-time: high spotlight-4.5 hrs, low spotlight-13 hrs
- Beam distance: 92 meters
- Water rating: IP-X7
- Drop rating: 2 meters
- Width: 2.4in, height: 1.9in, depth: 1.8in, weight: 3.5oz



## SAFETY RATING

CLASS I DIV 1 GRP A 0 13 CLASS II & III DIV 1 GRP E-G 1 133C CLASS I ZONE 0 AEx ia IIC T3 Gc CLASS I ZONE 0 Ex ia IIC T3 Gc I M1 Ex ia I M2 I 1 G Ex ia IIC T3 Gc Ex ia I M2 Ex ia IIC T3 Gc Intrinsic IS 13 A10027854X IECEx ETL 13.0031X -20°C ≤ Tamb ≤ +60°C 1.5V/Cell AAA Alkaline CE 2008	 ID 4001184 ADVISE YOU TO BUY SECURE INFORMATION	Confirmed to: ANSI/ISA 126.013, ANSI/ISA 10079-0, ANSI/ISA 10079-11 Certified to: CAN/CSA STD C22.2 NO 137 CAN/CSA STD C22.2 No. 60079-0 CAN/CSA STD C22.2 No. 60079-11 CSA STD C22.2 No. 25
--	---	---

<b>Model</b>	<b>UPC 0 17398</b>
XPP-5452G	80301 4

Patent 7,738,229

XPP-5452G



GET MORE INFO AT: [mynightstick.com](http://mynightstick.com) • 800-233-2155

# Multi-Function Headlamps

These non-rechargeable multi-function headlamps are cETLus, ATEX, IECEx and MSHA listed Intrinsically Safe Permissible for use in both above and below ground hazardous locations where explosive gases and dusts may be present. The headlamps each feature a multi-position tilt head design, a rear-mounted battery compartment and include both an elastic head strap with a non-slip lining and a heavy-duty rubber strap for use with hard hats. The top mounted dual switches provides spotlight, full-power white floodlight, half-power white floodlight and either red (5456) or green (5458) floodlight operation. Power comes from 3 AA premium batteries (included).

**INTRINSICALLY SAFE**

XPP-5456G

**175 Lumens**  
Dual-Light

**100 Lumens**  
Spotlight

**90/20 Lumens**  
White Floodlight

**18 Lumens**  
Red Floodlight



XPP-5458G

**190 Lumens**  
Dual-Light

**130 Lumens**  
Spotlight

**100/25 Lumens**  
Floodlight

**21 Lumens**  
Green Floodlight



XPP-5456G

XPP-5458G

XPP-5456G White & Red Floodlight

XPP-5458G White & Green Floodlight



Two Level White Floodlight

XPP-5456G

Night Vision Red

XPP-5458G

High-Contrast Green

XPP-5456G

XPP-5458G



## FEATURES

- CREE® LED technology – 50,000 + hours LED life
- Spotlight – high/low-brightness white floodlight – red floodlight (5456)
- Spotlight – high/low-brightness white floodlight – green floodlight (5458)
- Focused spotlight beam for distance illumination
- Unfocused wide-beam floodlight for close-up illumination
- Colored floodlight for night vision preservation (red-5456, green-5458)
- Dual-light (spotlight & any white floodlight mode at same time) for maximum versatility
- Engineered polymer housing with dual switches located on top of light
- Adjustable ratchet tilt head
- Non-slip elastic head strap & heavy-duty rubber strap for hard hat applications
- Waterproof
- Impact & chemical resistant
- Powered by 3 premium AA alkaline batteries (included)
- Limited Lifetime Warranty\*




Heavy-duty rubber head strap

## XPP-5456G SPECIFICATIONS

- Lumens: spotlight-100, high white floodlight-90, low white floodlight-20, red floodlight-18, dual-light-175
- Run-time: spotlight-18 hrs, high white floodlight-13.5 hrs, low white floodlight-75 hrs, red floodlight-37 hrs, dual-light-6.5 hrs
- Beam distance: 140 meters
- Water rating: IP-X7 waterproof
- Drop rating: 2 meters
- Width: 3.3in, height: 3.3in, depth: 3.5in, weight: 9.5oz


Model	UPC 0 17398
XPP-5456G	80156 0



## XPP-5458G SPECIFICATIONS

- Lumens: spotlight-130, high white floodlight-100, low white floodlight-25, green floodlight-21, dual-light-190
- Run-time: spotlight-14 hrs, high white floodlight-12.5 hrs, low white floodlight-70 hrs, green floodlight-37 hrs, dual-light-6 hrs
- Beam distance: 120 meters
- Water rating: IP-X7 waterproof
- Drop rating: 2 meters
- Width: 3.3in, height: 3.3in, depth: 3.5in, weight: 9.5oz

Model	UPC 0 17398
XPP-5458G	80158 4



## SAFETY RATING

**MSHA** Bayco Products, Inc. APPROVAL NO. 2014 12880-0  
**PERMISSIBLE Safety Headlamp**  
 TESTED FOR INTRINSIC SAFETY IN METHANE-AIR MIXTURES ONLY

**WARNINGS:**

1. Not for approval for use with Inco-Duracell Flame Proof (FC) Cells, Stimpac (Flame EMI) and Energizer Lithium (Flame LFP) batteries only.
2. Energizer Lithium (Flame LFP) Cells batteries are to be installed by a qualified technician only.
3. Replace batteries in head set only.
4. Prepare all batteries in the same area.
5. Do not mix batteries from different manufacturers or of different types.
6. The Visor (XPP-5456G Safety Headlamps) must never be used in areas where combustible is present.
7. The Visor (XPP-5458G Safety Headlamps) is approved as a flame-light under 30CFR, Part 20. It is not approved as a cap lamp under 30CFR, Part 18.

**CLASSIFICATION:**  
 CLASS I DIV 1 GROUP A IZ  
 CLASS I DIV 1 GROUP B IZ  
 CLASS I DIV 1 GROUP C IZ  
 CLASS I DIV 1 GROUP D IZ  
 CLASS I DIV 1 GROUP E IZ  
 CLASS I DIV 1 GROUP F IZ  
 CLASS I DIV 1 GROUP G IZ  
 CLASS I DIV 1 GROUP H IZ  
 CLASS I DIV 1 GROUP I IZ  
 CLASS I DIV 1 GROUP J IZ  
 CLASS I DIV 1 GROUP K IZ  
 CLASS I DIV 1 GROUP L IZ  
 CLASS I DIV 1 GROUP M IZ  
 CLASS I DIV 1 GROUP N IZ  
 CLASS I DIV 1 GROUP O IZ  
 CLASS I DIV 1 GROUP P IZ  
 CLASS I DIV 1 GROUP Q IZ  
 CLASS I DIV 1 GROUP R IZ  
 CLASS I DIV 1 GROUP S IZ  
 CLASS I DIV 1 GROUP T IZ  
 CLASS I DIV 1 GROUP U IZ  
 CLASS I DIV 1 GROUP V IZ  
 CLASS I DIV 1 GROUP W IZ  
 CLASS I DIV 1 GROUP X IZ  
 CLASS I DIV 1 GROUP Y IZ  
 CLASS I DIV 1 GROUP Z IZ

**MSHA** Bayco Products, Inc. APPROVAL NO. 2014 12880-0  
**PERMISSIBLE Safety Headlamp**  
 TESTED FOR INTRINSIC SAFETY IN METHANE-AIR MIXTURES ONLY

**WARNINGS:**

1. Not for approval for use with Inco-Duracell Flame Proof (FC) Cells, Stimpac (Flame EMI) and Energizer Lithium (Flame LFP) batteries only.
2. Energizer Lithium (Flame LFP) Cells batteries are to be installed by a qualified technician only.
3. Replace batteries in head set only.
4. Prepare all batteries in the same area.
5. Do not mix batteries from different manufacturers or of different types.
6. The Visor (XPP-5456G Safety Headlamps) must never be used in areas where combustible is present.
7. The Visor (XPP-5458G Safety Headlamps) is approved as a flame-light under 30CFR, Part 20. It is not approved as a cap lamp under 30CFR, Part 18.

**CLASSIFICATION:**  
 CLASS I DIV 1 GROUP A IZ  
 CLASS I DIV 1 GROUP B IZ  
 CLASS I DIV 1 GROUP C IZ  
 CLASS I DIV 1 GROUP D IZ  
 CLASS I DIV 1 GROUP E IZ  
 CLASS I DIV 1 GROUP F IZ  
 CLASS I DIV 1 GROUP G IZ  
 CLASS I DIV 1 GROUP H IZ  
 CLASS I DIV 1 GROUP I IZ  
 CLASS I DIV 1 GROUP J IZ  
 CLASS I DIV 1 GROUP K IZ  
 CLASS I DIV 1 GROUP L IZ  
 CLASS I DIV 1 GROUP M IZ  
 CLASS I DIV 1 GROUP N IZ  
 CLASS I DIV 1 GROUP O IZ  
 CLASS I DIV 1 GROUP P IZ  
 CLASS I DIV 1 GROUP Q IZ  
 CLASS I DIV 1 GROUP R IZ  
 CLASS I DIV 1 GROUP S IZ  
 CLASS I DIV 1 GROUP T IZ  
 CLASS I DIV 1 GROUP U IZ  
 CLASS I DIV 1 GROUP V IZ  
 CLASS I DIV 1 GROUP W IZ  
 CLASS I DIV 1 GROUP X IZ  
 CLASS I DIV 1 GROUP Y IZ  
 CLASS I DIV 1 GROUP Z IZ

# Nightstick – Performance, Quality and Value

**Real-world Product Performance:** Nightstick products are built not only with lumen ratings that exceed most competitor products, but also with optimized performance characteristics such as candela, beam distance and run-times. The design must take into consideration all of these factors to impact a light's efficiency and performance. The Nightstick product line uses CREE® LEDs, the #1 LED manufacturer in the world. Nightstick products are also designed and manufactured using the best quality housing materials, precision engineered reflectors, reliable real-world switch functionality, state-of-the-art electronics and latest generation battery technology. Innovations such as Nightstick's exclusive Dual-Light design, combining a flashlight and a floodlight into a single light with the ability to turn both on simultaneously for added versatility and safety, is altering the idea of what a flashlight is.



**Unwavering Commitment to Quality:** All products produced in Bayco Products' dedicated ISO 9001 Certified Factories undergo rigorous quality control inspections conducted by independent 3rd party inspectors at multiple points during the manufacturing process. Additional quality control inspections take place as products arrive and leave Bayco Products' distribution facility. Quality is also demonstrated in the customer service experience. . . with a target of nothing less than 100% customer satisfaction. Our quality is also backed by a Limited Lifetime Warranty.

**Exceptional Value:** Quite simply, the Nightstick product line is designed and manufactured to outperform and be of a higher quality standard than any other product in its class. Even with the highest quality standards, Nightstick products cost less as compared to competitor offerings. We remain committed to delivering the industry's best performing, highest-quality products at the lowest cost possible.

# Bayco Lights the Way

Nightstick, designed and manufactured by Bayco Products, Inc., is a global brand of professional lighting products including flashlights, headlamps and Intrinsically Safe lighting solutions that exceed the industry standards in performance, quality, user-safety and value.

For 30 years, Bayco Products' vast array of portable & corded lighting products, have been the preferred choice of professionals and discriminating consumers. The Nightstick and Bayco brands are recognized world-wide as high-performance, high-quality, high-value lighting solutions across virtually every industry.

Headquartered in North Texas, Bayco Products' 110,000 square foot facility is the international headquarters for R&D, engineering, marketing, sales and distribution. Bayco Products has dedicated ISO 9001 Certified factories both in the US and abroad.



# NIGHTSTICK<sup>®</sup>

Life Depends on Light<sup>™</sup>



\*Limited Lifetime Warranty  
Product is warranted to be free from defects in workmanship and materials for the lifetime of the original owner. Includes the LEDs, housing, lenses, electronics and switches. Primary batteries, normal wear and abuse are excluded.

**BAYCO**<sup>®</sup>  
PRODUCTS INC.

640 S. Sanden Blvd.  
Wylie, TX 75098  
800-233-2155

[www.mynightstick.com](http://www.mynightstick.com)

Nightstick products are designed in Texas, US and manufactured abroad with components from domestic and international sources.

The distinctive shapes, styles, packaging, configurations and overall appearances of these products are trademarks of Bayco Product, Inc. The unique LED configuration, body and case shapes inherently identify them as members of the Bayco Product, Inc. portfolio.

CAT-ISMINI-14D