



Professional Lighting and Cord Solutions



2015
www.MyBayco.com



BAYCO®

INNOVATION AT WORK

For more than 30 years, Bayco's family of products have been the preferred choice of professionals.

Bayco's dedicated engineering teams continually seek out innovative product solutions that focus on maximizing user safety and exceptional day-to-day utility.

The 110,000 square foot Texas facility is the international headquarters for Bayco's research and development, marketing, sales and distribution. Bayco has dedicated sales offices and manufacturing in the USA and abroad.





LED Lights



Fluorescent Lights



Halogen Lights



Incandescent Lights



Cord Management & Reels



Extension Cords



Booster Cables



Replacement Parts

SL-2125

Page 4



60 LEDs

Rechargeable Clip Magnet

SL-1522

Page 5



4,000 Lumens

Dual 20W LEDs
6 Ft. Tripod

2-in-1 LED Rechargeable Work Light with Spotlight in Handle



Part No	UPC 0 17398	Floodlight Lumens (Run-Time hrs)	Spotlight Lumens (Run-Time hrs)	Case Qty	Case Wt (lbs)	Pkg
SLR-2166	80025 9	60 LED 120 L (4)	6 LED 12 L (18)	2	2.8	Clamshell

- Bright LEDs, 35,000 hour life
- Impact, moisture and chemical resistant
- Rechargeable NiMH battery
- Heavy-duty rocker switch
- Magnet in body & top, includes hook for hands-free lighting
- Home and car chargers included
- Charge time 8hrs
- 1 year warranty
- Length: 14.3in

Corded LED Work Light



Part No	UPC 0 17398	Floodlight Lumens	Cord Length (ft)	Cord Gauge	Cord Jacket	Case Qty	Case Wt (lbs)	Pkg
BA-2116	80081 5	60 LED 120 L	6	18/2	SJT	2	2.4	Clamshell
SL-2125	80121 8	60 LED 120 L	25	18/2	SJT	2	8.4	Clamshell

- Bright LEDs, 35,000 hour life
- Impact and chemical resistant
- Heavy-duty rocker switch
- Magnet in body & top and hook for hands-free lighting
- 1 year warranty
- Work light length: 14.3in

60 LED Work Light on Metal Reel with 50ft Cord

Part No	UPC 0 17398	Floodlight Lumens	Cord Length (ft)	Cord Gauge	Cord Jacket	Case Qty	Case Wt (lbs)	Pkg
SL-864	80109 6	60 LED 120 L	50	18/2	SVT	2	18.4	Box

- Bright LEDs, 35,000 hour life
- Impact and chemical resistant
- Heavy-duty rocker switch
- Heavy-duty retractable metal reel
- Magnet in body & top and hook for hands-free lighting
- Mounting bracket included
- Adjustable cord stop
- 1 year warranty
- Work light length: 14.3in



“Under-the-Hood” Work Light - Rechargeable

Part No	UPC 0 17398	Lumens (Run-Time hrs)	Case Qty	Case Wt (lbs)	Pkg
SLR-2120	80172 0	Full Power 330 L (3.5) Half Power 150 L (6.5)	1	8.8	Box

- 120 LEDs with two brightness modes - full-power & half-power
- Dual spring-loaded grippers with 48”-77” capacity built into the cradle
- Light bar can be rotated 360 degrees in the cradle or removed all together
- Light bar handles have 3 magnets each & integrated hook for added hands-free functionality
- Light bar handles pivot up and down through more than 200 degrees of range
- Dual on/off buttons, one located in each handle operate in tandem
- Integrated rechargeable Nickel Metal Hydride battery
- Includes AC & DC power supply



2,000 Lumen LED Single Fixture Work Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1512	80445 5	2	8.25	6	18/3	SVT	Box

- Single light fixture producing 2,000 Lumens of light from a single 20W LED
- Multi-angle tilt and swivel fixture design
- Comfort-grip padded handle
- Single sealed push button switch
- 6 ft. SVT 18/3 cord with grounded plug



4,000 Lumen LED Convertible Dual Fixture Work Light on Tripod Stand

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1522	80447 9	1	15.25	6	18/3	SVT	Box

- Dual light fixtures mounted on a 6' tripod stand, each using a single 20W LED producing 2,000 lumens of light for a combined illumination of 4,000 lumens
- Each light fixture can be pointed in different directions for maximum lighting
- Light fixture base unit can be removed from tripod stand for low angle illumination
- The tripod stand will extend the lights up to 6 feet high
- Multi-angle tilt and swivel fixture design
- Comfort-grip padded handles
- Each fixture has its own sealed push button switch
- 6 ft. SVT 18/3 cord with grounded plug
- Integrated cord storage hooks on one of the tripod legs for cord storage



Fluorescent Lights

SL-976

Page 7



26w

25ft Cord
Stand-up Base
Integrated Single Outlet

SL-975

Page 7



26w

25ft Cord
Integrated Single Outlet

SL-936

Page 8



13w

25ft Cord
Integrated Single Outlet

SL-825

Page 12



13w

40ft Metal Reel
10amp Single Outlet
Utility Light

SL-8908

Page 11



26w

50ft Reel
12amp Single Outlet
Utility Light

Fluorescent Lights

26w Fluorescent Work Light w/ Single Outlet & Double Hook

Part No	Color	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-976	Black	10976 5	6	19	25	16/3	SJT	4 Color Wrapper
SL-926	Yellow	10157 8	6	10.5	6	16/3	SJT	4 Color Wrapper

- Two cool running 13w fluorescent bulbs rated at 10,000 hours
- Similar amount of light to a 125w incandescent bulb but with a daylight color (7000 Kelvin)
- Ergonomic handle shape
- Built in single grounded outlet (12amp)
- Exclusive 90 degree cord swivel makes it possible to stand the light upright on its base
- Electronic ballast provides instant no flicker cold weather starts
- Retractable & removable nylon-tipped double hook that can rotate 360 degrees
- Dual body rocker switches



18w Fluorescent Work Light w/ Single Outlet & Double Hook

Part No	Color	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-918	Yellow	10119 6	6	10	6	16/3	SJT	4 Color Wrapper

- Two cool running 9w fluorescent bulbs rated at 10,000 hours
- Similar amount of light to a 100w incandescent bulb but with a daylight color (7000 Kelvin)
- Ergonomic handle shape
- Built in single grounded outlet (12amp)
- Exclusive 90 degree cord swivel makes it possible to stand the light upright on its base
- Electronic ballast provides instant no flicker cold weather starts
- Retractable & removable nylon-tipped double hook that can rotate 360 degrees
- Single body rocker switch



26w Fluorescent Work Light w/ Single Outlet & Dual Swivel Hooks

Part No	Color	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-975	Black	10130 1	6	18.4	25	16/3	SJT	4 Color Wrapper
SL-908	Yellow	10122 6	6	10.3	6	16/3	SJT	4 Color Wrapper
SL-908PDQ4	Yellow	10122 6	4	7.3	6	16/3	SJT	Counter Top Display

- Two cool running 13w fluorescent bulbs rated at 10,000 hours
- Similar amount of light to a 125w incandescent bulb but with a daylight color (7000 Kelvin)
- Ergonomic handle shape
- Built in single grounded outlet (12amp)
- Electronic ballast provides instant no flicker cold weather starts
- Dual integrated swivel hooks for hands-free use
- Dual body rocker switches



13w Fluorescent Work Light w/ Single Outlet & 25ft Extension Cord



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-920C	10169 1	6	24.8	6 & 25	16/3	SJT	Clamshell

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- Floodlight and a spotlight
- Built in single grounded outlet (12amp)
- Electronic ballast provides instant no flicker cold weather starts
- Nylon double hooks for hands-free use
- Single body rocker switch
- Extension cord has a single male plug and single female outlet

13w Fluorescent Work Light w/Spotlight & Single Outlet

SL-936 Shown



Spot Work Light in Top

Part No	Color	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-936	Black	10188 2	4	22	50	16/3	SJT	4 Color Box
SL-935	Black	10187 5	6	18.4	25	16/3	SJT	4 Color Wrapper
SL-935PDQ4	Black	10187 5	4	12.4	25	16/3	SJT	Counter Top Display
SL-907	Yellow	10121 9	6	10.6	6	16/3	SJT	4 Color Wrapper
SL-907PDQ4	Yellow	10121 9	4	7.2	6	16/3	SJT	Counter Top Display

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- Floodlight and a spotlight
- Ergonomic handle shape
- Built in single grounded outlet (12amp)
- Exclusive 90 degree cord swivel makes it possible to stand the light upright on its base
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tipped double hooks for hands-free use
- Single body rocker switch

13w Fluorescent Work Light w/ Spotlight

SL-520 Shown



Spot Work Light in Top

Part No	Color	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-550	Black	10131 8	6	22.4	50	18/2	SJT	Box
SL-520	Black	10010 6	6	14	25	18/2	SJT	4 Color Wrapper
SL-507	Yellow	10120 2	6	8.8	6	18/2	SJT	4 Color Wrapper

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- Ergonomic handle shape
- Exclusive 90 degree cord swivel makes it possible to stand the light upright on its base
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tipped double hooks for hands-free use
- Single body rocker switch

13w Fluorescent Work Light w/ Spotlight

OSHA NRTL Compliant

Part No	Color	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-677	Yellow	10103 5	6	25	50	18/2	SJT	Box
SL-676	Yellow	10102 8	6	17.2	25	18/2	SJT	Box

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75watt incandescent bulb but with a daylight color (7000 Kelvin)
- Floodlight and a spotlight
- Nylon tipped double hooks for hands-free use
- Ballast enclosed near plug end of cord
- Single sealed push button on bottom



Spot Work Light in Top



15w Fluorescent Long Tube Work Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-623	10084 7	4	12.4	25	18/2	SJT	Box

- Cool running 15w long tube fluorescent bulb rated at 7,000 hours of use (5000 Kelvin)
- Extra-long 17in high-impact lamp protector w/reflector
- Single plastic swivel hook at one end and a pair of multi-rotational hooks create lots of hands-free uses
- Two switches: Rocker switch to turn unit on/off, and a manual starter switch



13w Fluorescent Work Light w/ Single Outlet & Dual Swivel Hooks

Part No	Color	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-964	Black	10185 1	6	18.4	25	16/3	SJT	4 Color Wrapper
SL-904	Yellow	10223 0	6	10.5	6	16/3	SJT	4 Color Wrapper

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- Angled ergonomic handle shape
- Built in single grounded outlet (12amp)
- Electronic ballast provides instant no flicker cold weather starts
- Dual integrated swivel hooks for hands-free use
- Single body rocker switch



SL-964 Shown



13w Fluorescent Work Light w/ Dual Swivel Hooks



Part No	Color	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-563	Black	10076 2	6	14.6	25	18/2	SJT	4 Color Wrapper

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- Angled ergonomic handle shape
- Exclusive 90 degree cord swivel makes it possible to stand the light upright on its base
- Electronic ballast provides instant no flicker cold weather starts
- Dual integrated swivel hooks for hands-free use
- Single body rocker switch

12 Volt Fluorescent Emergency / Work Light w/ DC Plug



Part No	Color	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-512	Yellow	10035 9	6	7.1	20	18/2	SPT	4 Color Wrapper

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- 20ft Cord is terminated with a DC plug for use in a vehicle cigarette lighter or DC outlet
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tip double hooks for hands-free use
- Single body rocker switch

13w Fluorescent Rechargeable Work Light w/ Spotlight

SLR-9010 Shown



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Battery	Includes
SLR-9000CPDQ	34723 5	3	9.1	One single capacity NiMH Battery	Light, one battery, charger and AC/DC power supply
SLR-9010	39010 1	1	6	Two single capacity NiMH Batteries	Light, two batteries, charger, AC/DC power supply and case
SLR-9014	39014 9	1	6.2	Two dual capacity NiMH Batteries	Light, two batteries, charger, AC/DC power supply and case

- Cool running 13 watt fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75 watt incandescent bulb but with a daylight color (7000 Kelvin)
- Acts as both a floodlight and a spotlight
- Ergonomic handle shape makes it a pleasure to hold and use the light
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tipped double hooks for hands-free use

13w UV Fluorescent Rechargeable Work Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Battery	Includes
UVR-9000	29000 5	1	3.2	One single capacity NiMH Battery	Light, one battery, charger and AC/DC power supply
UVR-9012B	29012 8	1	2.9	One dual capacity NiMH Battery	Light, one battery, charger, AC/DC power supply and yellow safety glasses
UVR-9014	29014 2	1	6.3	Two dual capacity NiMH Batteries	Light, two batteries, charger, AC/DC power supply and case
UVR-9014G	29014 2	1	6.5	Two dual capacity NiMH Batteries	Light, two batteries, charger, AC/DC power supply, yellow safety glasses and case



UVR-9000 Shown

- Cool running 13 watt UV fluorescent bulb rated at 10,000 hours of use
- Designed to be used in conjunction with leak detection dye (not included)
- Can be used to detect bodily fluids and mold (no dye required)
- Effective detection range of approximately 2 feet
- Ergonomic handle shape makes it a pleasure to hold and use the light
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tipped double hooks for hands-free use

13w UV Fluorescent Leak Detection Light-Corded

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-513	10043 4	6	15.9	25	18/2	SJT	Box



- Cool running 13 watt UV fluorescent bulb rated at 10,000 hours of use
- Designed to be used in conjunction with leak detection dye (not included)
- Can be used to detect bodily fluids and mold (no dye required)
- Effective detection range of approximately 2 feet
- Nylon tipped double hooks for hands-free use

26w Fluorescent Work Light w/ Single Outlet on 50ft Reel

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-8908	10094 6	1	18.3	50	14/3	SJTW	Box



- Two cool running 13w fluorescent bulbs rated at 10,000 hours of use
- Similar amount of light to a 125w incandescent bulb but with a daylight color (7000 Kelvin)
- Ergonomic handle shape
- Built in single grounded outlet (12amp)
- Electronic ballast provides instant no flicker cold weather starts
- Dual integrated swivel hooks and removable magnet for hands-free use
- Dual body rocker switches
- Attached to a 50ft retractable cord inside of a heavy-duty polymer reel
- Integrated 13amp circuit breaker built into the housing
- Includes mounting brackets for attaching the reel to the wall or ceiling

Fluorescent Lights

13w Fluorescent Work Light / Spotlight w/ Single Outlet on 50ft Reel



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-8907	10064 9	1	17.2	50	14/3	SJTW	Box

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- Built in single grounded outlet (12amp)
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tipped double hooks and removable magnet for hands-free use
- Single body rocker switch
- Attached to a 50ft retractable cord inside of a heavy-duty polymer reel
- Integrated 13amp circuit breaker built into the housing
- Includes mounting brackets for attaching the reel to the wall or ceiling

26w Fluorescent Work Light w/ Single Outlet on 40ft Metal Reel



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-875	10318 3	4	45.9	40	16/3	SJT	Box

- Two cool running 13w fluorescent bulbs rated at 10,000 hours of use
- Similar amount of light to a 125w incandescent bulb but with a daylight color (7000 Kelvin)
- Ergonomic handle shape
- Built in single grounded outlet (12amp)
- Electronic ballast provides instant no flicker cold weather starts
- Dual integrated swivel hooks for hands-free use
- Dual body rocker switches
- Attached to a 40ft retractable cord inside of a metal reel
- Includes mounting brackets for attaching the reel to the wall or ceiling

13w Fluorescent Work Light / Spotlight w/ Single Outlet on 40ft Metal Reel



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-825	10078 6	4	42.1	40	16/3	SJT	4 Color Box

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- Floodlight and a spotlight
- Built in single grounded outlet (10amp)
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tip double hooks for hands-free use
- Single body rocker switch
- Attached to a 40ft retractable cord inside of a metal reel
- Includes mounting brackets for attaching the reel to the wall or ceiling

13w Fluorescent Work Light on 50ft Metal Reel

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-826	10019 9	4	37.7	50	18/2	SVT	4 Color Box

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tip double hooks for hands-free use
- Single body rocker switch
- Attached to a 50ft retractable cord inside of a metal reel
- Includes mounting brackets for attaching the reel to the wall or ceiling



13w Fluorescent Work Light on 50ft Metal Reel

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-827	10257 5	4	40.8	50	18/2	SVT	4 Color Box

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- Ballast enclosed near end of plug
- Nylon tip double hooks for hands-free use
- Single sealed push button on bottom
- Attached to a 50ft retractable cord inside of a metal reel
- Includes mounting brackets for attaching the reel to the wall or ceiling

OSHA NRTL Compliant



13w Fluorescent Work Light w/ Single Outlet & Dual Swivel Hooks on 40ft Metal Reel

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-821	10226 1	4	42	40	16/3	SJT	4 Color Box

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- Angled ergonomic handle shape
- Dual integrated swivel hooks for hands-free use
- Single body rocker switch
- Attached to a 40ft retractable cord inside of a metal reel
- Includes mounting brackets for attaching the reel to the wall or ceiling



13w Fluorescent Work Light on 20ft Retractable Reel

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-651	10124 0	6	23.9	20	18/2	SVT	4 Color Box

- Cool running 13w fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75w incandescent bulb but with a daylight color (7000 Kelvin)
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tip double hooks for hands-free use
- Single body rocker switch
- Attached to a 20ft retractable cord inside of a polyethylene reel
- Includes mounting brackets for attaching the reel to the wall or ceiling



SL-1002

500w

Page 15



SL-1032

600w

Page 17



SL-1005

1000w

Page 15



6ft Adjustable Tripod

SL-1082

1500w

Page 16




8ft Adjustable Tripod

1000w Convertible Halogen Dual Fixture Work Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1005	21005 8	2	23.9	6	18/3	SJTW	4 Color Box

- Dual light fixtures that can be pointed in different directions for maximum lighting
- Light fixture base unit can be removed from tripod stand for low angle illumination
- The tripod stand will extend the lights up to 6 feet high
- Each fixture uses a single 500w halogen bulb (included) for a total illumination of 1,000w
- Each fixture has its own sealed push button switch
- Choice of lighting output: 500 or 1,000w
- Tempered glass lenses and metal safety grills are used for additional protection from the bulbs
- Powder coated for long wear
- Includes a spare 500w bulb in a protective bulb holder



500w Convertible Halogen Single Fixture Work Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1022	21022 5	6	40.3	6	18/3	SJTW	4 Color Box

- Single light fixture producing 500w of light (500w bulb is included)
- Light fixture base unit can be removed from tripod stand for low angle illumination
- The tripod stand will extend the light up to 40 inches high
- Fixture uses a sealed rocker switch
- Tempered glass lens and metal safety grill is used for additional protection from the bulb
- Powder coated for long wear



500w Halogen Single Fixture Work Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1002	21002 7	6	20.8	3	18/3	SJTW	4 Color Box

- Single light fixture producing 500w of light (500w bulb is included)
- Tempered glass lens and metal safety grill are used for additional protection from the bulb
- Powder coated for long wear
- Includes a spare 500w bulb in a protective bulb holder



Halogen Lights

1000w Convertible Halogen Dual Fixture Work Light



Removeable light fixture allows light to be placed where it is needed most



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1006	21006 5	2	43.6	6	18/3	SJTW	4 Color Box

- Dual light fixtures that can be pointed in different directions for maximum lighting
- Light fixture base unit can be removed from tripod stand for low angle illumination
- The tripod stand will extend the lights up to 6 feet high
- Each fixture uses a single 500w halogen bulb (included) for a total illumination of 1,000w
- Each fixture has its own sealed push button switch
- Choice of lighting output: 500 or 1,000w
- Tempered glass lenses and metal safety grills are used for additional protection from the bulbs
- Powder coated for long wear
- Adjustable leg for uneven surfaces
- Includes a spare 500w bulb in a protective bulb holder

500w Halogen Single Fixture Work Light



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1003	21003 4	4	19.5	5	18/3	SJTW	4 Color Box

- Single light fixture producing 500w of light (500w bulb is included)
- Fixture uses a sealed push button switch
- Tempered glass lens and metal safety grill are used for additional protection from the bulb
- Powder coated for long wear
- Includes a spare 500w bulb in a protective bulb holder

1500w Convertible Halogen Dual Fixture Work Light



Removeable light fixture allows light to be placed where it is needed most



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1082	21082 9	1	29.2	10	16/3	SJTW	4 Color Box

- Dual light fixtures that can be pointed in different directions for maximum lighting
- Light fixture base unit can be removed from tripod stand for low angle illumination
- The tripod stand will extend the lights up to 8 feet high
- Each fixture has a 250w and a 500w halogen bulb (included) for a total illumination of 1,500w
- Each bulb is controlled by its own sealed push button switch
- Choice of lighting output: 250, 500, 750, 1,000, 1,250 or 1,500w
- Tempered glass lenses and metal safety grills are used for additional protection from the bulbs
- Powder coated for long wear
- Includes a spare 500w bulb in a protective bulb holder

750w Convertible Halogen Single Fixture Work Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1075	21075 1	1	20.4	10	16/3	SJTW	4 Color Box

- Single light fixture has two bulbs, a 250w & a 500w producing a total of 750w of light (bulbs are included)
- Light fixture base unit can be removed from tripod stand for low angle illumination
- The tripod stand will extend the light up to 7 feet high
- Each bulb is controlled by its own sealed push button switch
- Choice of lighting output: 250, 500 or 750w
- Tempered glass lens and metal safety grill is used for additional protection from the bulb
- Powder coated for long wear
- Adjustable leg for uneven surfaces
- Includes a spare 500w bulb in a protective bulb holder



Removeable light fixture allows light to be placed where it is needed most



750w Halogen Single Fixture Work Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1042	21042 3	1	10	6	16/3	SJTW	4 Color Box

- Single light fixture has two bulbs, a 250w & a 500w producing a total of 750w of light (bulbs are included)
- Each bulb is individually controlled by a pair of sealed push button switches
- Choice of lighting output: 250, 500 or 750w
- Tempered glass lens and metal safety grill are used for additional protection from the bulbs
- Powder coated for long wear
- Includes a spare 500w bulb in a protective bulb holder



1200w Convertible Halogen Dual Fixture Work Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1062	21062 1	2	46.3	8	18/3	SJTW	4 Color Box

- Dual light fixtures that can be pointed in different directions for maximum lighting
- Light fixture base unit can be removed from tripod stand for low angle illumination
- The tripod stand will extend the lights up to 7 feet high
- Each fixture uses a pair of 300w halogen bulbs (included) for a total illumination of 1,200w
- Each bulb is controlled by its own sealed push button switch
- Choice of lighting output: 300, 600, 900 or 1,200w
- Tempered glass lenses and metal safety grills are used for additional protection from the bulbs
- Powder coated for long wear
- Adjustable leg for uneven surfaces
- Includes a spare 300w bulb in a protective bulb holder



Removeable light fixture allows light to be placed where it is needed most



600w Halogen Single Fixture Work Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-1032	21032 4	2	10.9	6	18/3	SJTW	4 Color Box

- Single light fixture has two 300w bulbs producing a total of 600w of light (bulbs are included)
- Each bulb is individually controlled by a pair of sealed push button switches
- Choice of lighting output: 300 or 600w
- Tempered glass lens and metal safety grill are used for additional protection from the bulbs
- Powder coated for long wear
- Includes a spare 300w bulb in a protective bulb holder



Incandescent Lights

SL-426A

75w

Page 20



50ft Cord
Receptacle

SL-412

12v

Page 21



20ft Cord with Clips

SL-302B3

300w

Page 20



6ft Cord
10½ in Brooder Light

SL-840

75w

Page 21




40ft Metal Reel
10amp Receptacle
Utility Light

Incandescent Lights

5½in Clamp Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-201PDQ6	34702 0	6	4.7	6	18/2	SPT-2	Counter Top Display

- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Adjustable ball joint for easy positioning
- Spring steel clamp w/scratch resistant vinyl sleeve
- Push button switch



8½in Clamp Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-300N4	34703 7	4	3.9	6	18/2	SPT-2	4 Color Box
SL-300PDQ6	34703 7	6	5.3	6	18/2	SPT-2	Counter Top Display

- Rated to handle up to a 150w incandescent bulb (bulb not included)
- Adjustable ball joint for easy positioning
- Spring steel clamp w/scratch resistant vinyl sleeve
- Push button switch



8½in Clamp Light w/Grip-Tite Super Clamp

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-301	34704 4	6	7.5	6	18/2	SPT-2	4 Color Box

- Rated to handle up to a 150w incandescent bulb (bulb not included)
- Adjustable ball joint for easy positioning
- Grip-Tite Super Clamp w/scratch resistant vinyl sleeve
- Push button switch



10½in Clamp Light

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-310B4	34706 8	4	7.5	6	18/2	SPT-2	4 Color Box

- Lights 50% more area than a standard 8 ½in clamp light
- Rated to handle up to a 200w incandescent bulb (bulb not included)
- Adjustable ball joint for easy positioning
- Spring steel clamp w/scratch resistant vinyl sleeve
- Push button switch



10½in Clamp Light w/Grip-Tite Super Clamp

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-311B4	34708 2	4	5.8	6	18/2	SPT-2	4 Color Box

- Lights 50% more area than a standard 8 ½in clamp light
- Rated to handle up to a 200w incandescent bulb (bulb not included)
- Adjustable ball joint for easy positioning
- Grip-Tite spring clamp w/scratch resistant vinyl sleeve
- Push button switch



10½in Brooder Clamp Light w/Porcelain Ceramic Socket



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-302B3	34705 1	3	5.4	6	18/2	SJT	4 Color Box

- Lights 50% more area than a standard 8 ½in clamp light
- Rated at up to 50% more wattage than a standard 8 ½in clamp light
- Rated to handle up to a 300w incandescent bulb (bulb not included)
- Adjustable ball joint for easy positioning
- Spring steel clamp w/scratch resistant vinyl sleeve
- Porcelain ceramic socket

Incandescent Work Light w/ Metal Guard & Single Outlet



Grounded Outlet

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-426A	10147 9	6	26	50	16/3	SJT	4 Color Wrapper
SL-425A	10132 5	6	15	25	16/3	SJT	4 Color Wrapper

- Metal bulb guard with integrated hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Ergonomic handle shape
- Built in single grounded outlet (12amp)
- Exclusive 90 degree cord swivel makes it possible to stand the light upright on its base
- Push button switch

Incandescent Work Light w/ Metal Guard



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-426	10071 7	6	22.5	50	18/3	SJT	4 Color Wrapper
SL-425	10070 0	6	13.7	25	18/3	SJT	4 Color Wrapper

- Metal bulb guard with integrated hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Ergonomic handle shape
- Exclusive 90 degree cord swivel makes it possible to stand the light upright on its base
- Push button switch

Incandescent Work Light w/ Non-Metallic Guard



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-421	10146 2	6	10	25	18/2	SJT	4 Color Wrapper
SL-406	10145 5	6	4.7	6	18/2	SJT	4 Color Wrapper

- Non-metallic bulb guard with integrated swivel hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Ergonomic handle shape
- Exclusive 90 degree cord swivel makes it possible to stand the light upright on its base
- Push button switch

12 Volt Incandescent Work Light w/ Non-Metallic Guard & Battery Clips

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-412	10095 3	6	7	20	18/2	SPT	4 Color Wrapper

- Non-metallic bulb guard with integrated swivel hook
- Includes a 50w "Rough Service" incandescent bulb
- Cord is terminated with a positive and negative set of battery clips
- Push button switch



Incandescent Work Light w/ Metal Guard & Single Outlet on 40ft Metal Reel

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-840	10181 3	4	40.4	40	16/3	SJT	Box

- Metal bulb guard with integrated rubber-tipped hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Built in single grounded outlet (10amp)
- Push button switch
- Attached to a 40ft retractable cord inside of a metal reel
- Includes mounting brackets for attaching the reel to the wall or ceiling



Incandescent Work Light w/ Metal Guard on 50ft Metal Reel

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-851	10127 1	4	37.9	50	18/3	SVT	Box

- Metal bulb guard with integrated rubber-tipped hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Push button switch
- Attached to a 50ft retractable cord inside of a metal reel
- Includes mounting brackets for attaching the reel to the wall or ceiling



Incandescent Work Light w/ Metal Guard & Single Outlet on 20ft Reel

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-450	10002 1	6	23.3	20	18/3	SVT	Box


- Metal bulb guard with integrated rubber-tipped hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Built in single grounded outlet (7amp)
- Attached to 20ft retractable cord inside of polyethylene reel
- Includes mounting brackets for attaching the reel to the wall or ceiling



100ft String Light w/ Non-Metallic Lamp Guards (10 Lights)

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-7408	07408 7	1	12.8	100	14/2	SJTW - 15A Rated	1 Color Box

OSHA NRTL Compliant



Cord Management & Reels

SL-8904

50ft

Page 26



15amp
Four Outlets
Circuit Breaker
Polymer Reel

SL-8906

50ft

Page 26



15amp
All-Weather Cord
Four Outlets
Circuit Breaker
Polymer Reel

SL-801

30ft

Page 25



13amp
Three Outlets
Metal Reel

SL-800

30ft

Page 25



10amp
Three Outlets
Metal Reel

Cord Management & Reels

Cord Lock

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
K-205	34710 5	12	1.5	Card

- Easily connects & locks extensions cords together
- Keeps plug connection in place safely and easily



Carry Strap

Part No	Strap Length	Cord Storage	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
K-175	14in	100ft 14/3	34571 2	30	5.4	4 Color Wrapper
K-178	22in	150ft 16/3	34178 3	12	3.4	4 Color Wrapper



Cord Wrap

Part No	Cord Storage	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
K-150	150ft 16/3	34568 2	24	6	4 Color Wrapper



Cord Storage Reel w/ Center Spin Handle

Part No	Cord Storage	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
KW-110	100ft 16/3 • 75ft 14/3 • 50ft 12/3	34566 8	6	7.7	4 Color Wrapper
KW-130	150ft 16/3 • 125ft 14/3 • 100ft 12/3	34573 6	6	8.3	4 Color Wrapper



Hand-Crank Cord Storage Reel w/ Stand

Part No	Cord Storage	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
K-100	150ft 16/3 • 125ft 14/3 • 100ft 12/3	34567 5	6	10.4	4 Color Wrapper



Cord Management & Reels

Cord Storage Reel w/4 Outlets & Resettable 15amp Circuit Breaker



Part No	Cord Storage	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-2000PDQ	100ft 16/3 • 100ft 14/3 • 75ft 12/3	32000 9	4	14.6	4 Color Wrapper

- Holds up to 100ft of 14/16 gauge or 75ft of 12 gauge extension cord
- Four grounded outlets
- Resettable 15amp circuit breaker
- Works with most single outlet extension cords
- Plug the female end of extension cord into the center core plug and then wind up cord
- Side-mounted handle makes rolling up the cord quick and simple
- Wide steel base keeps the cord storage reel stable
- Constructed of shatter and temperature resistant polypropylene for long life

25ft Cord Reel w/ Integrated Cord & 4 Outlets



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-755	10165 3	4	14.6	25	16/3	SJT	4 Color Wrapper

- Manual cord reel with 25ft of integrated extension cord
- Compact size with carry handle
- Four grounded outlets
- 10amp rating
- Resettable circuit breaker
- Constructed of impact resistant ABS

OSHA NRTL Compliant

20ft Retractable Polyethylene Cord Reel



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
FL-700	10006 9	6	19.99	20	18/3	SVT	4 Color Box

- OSHA NRTL Compliant
- 20 cord on a retractable polyethylene reel
- Integrated 7amp circuit breaker built into the housing
- Single female outlet
- Includes mounting brackets for attaching the reel to the wall or ceiling

30ft Retractable Metal Cord Reel w/ 3 Outlets & Circuit Breaker

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
CA-800B2	34585 9	2	16.6	30	16/3	SJT	Box

- Retractable cord reel with 30ft of integrated extension cord
- Three grounded outlets
- LED power status light on outlet bar
- Adjustable cord stop
- 10amp rating
- Integrated resettable circuit breaker
- Includes mounting brackets to attach the reel to the wall or ceiling

With Power Status Light



30ft Retractable Metal Cord Reel w/ 3 Outlets - 10amp

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-800	10018 2	4	33	30	16/3	SJT	Box

- Retractable metal cord reel with 30ft of integrated extension cord
- Three grounded outlets
- LED power status light on outlet bar
- Adjustable cord stop
- 10amp rating
- Includes mounting brackets to attach the reel to the wall or ceiling

With Power Status Light



30ft Retractable Metal Cord Reel w/ 3 Outlets - 13amp

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-801	10081 6	4	36.6	30	14/3	SJT	Box

- Retractable metal cord reel with 30ft of integrated extension cord
- Three grounded outlets
- LED power status light on outlet bar
- Adjustable cord stop
- 13amp rating
- Includes mounting brackets to attach the reel to the wall or ceiling

With Power Status Light



Cord Management & Reels

50ft Retractable Polymer Cord Reel w/ 3 Outlets - 13amp



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-8903	10039 7	1	16.7	50	14/3	SJT	Box

- Retractable polymer cord reel with 50ft of integrated extension cord
- Three grounded outlets

With Power Status Light

- Integrated 13amp circuit breaker built into the plug
- LED power status light on outlet bar
- Adjustable cord stop
- Includes mounting brackets for attaching the reel to the wall or ceiling

Retractable Polymer Cord Reel w/ 4 Outlets - 15amp



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-8904	10055 7	1	18.4	50	12/3	SJT	Box
SL-8904-40	18904 0	1	17.5	40	12/3	SJT	Box

- Retractable polymer cord reel with integrated extension cord
- Four grounded outlets
- Integrated 15amp circuit breaker built into the plug

With Power Status Light

- LED power status light on outlet bar
- Adjustable cord stop
- Includes mounting brackets for attaching the reel to the wall or ceiling

50ft Retractable Polymer Cord Reel w/ All-Weather Cord



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-8906	80159 1	1	19.4	50	12/3	SJEOW	Box

- 50' of 12/3 SJEOW cord on a retractable polymer reel
- More flexible, oil resistant, all weather cord jacket
- Will stay flexible even in cold weather (down to 0 degrees F)

With Power Status Light

- Smooth glide retractable reel with a stronger spring for improved cord retraction
- Polarized plug with 4 outlet block
- LED power status light on outlet bar
- Resettable 15 amp circuit breaker
- Includes mounting brackets for attaching the reel to the wall or ceiling

Extension Cords

SL-748L

Page 28



100ft

Lighted Ends-Three Outlets
15amp

SL-992

Page 29



100ft

Lighted Ends-Single Outlet
10amp

SL-754L

Page 28



100ft

Lighted Ends-Single Outlet
13amp

SL-9108

Page 29



100ft

Lighted Ends-Three Outlets
15amp

SL-763

Page 28



6.5ft

Non-Lighted Three Outlets
13amp

OSHA NRTL Compliant



Temp rating 105°C

Extension Cord w/Lighted Ends & Single Outlet

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-752L	34729 7	12	30.5	25	14/3	SJTW - 15A Rated	4 Color Wrapper
SL-753L	34730 3	6	30	50	14/3	SJTW - 15A Rated	4 Color Wrapper
SL-754L	34731 0	6	59	100	14/3	SJTW - 13A Rated	4 Color Wrapper
SL-757L	34732 7	4	14.2	25	12/3	SJTW - 15A Rated	4 Color Wrapper
SL-758L	34733 4	2	14.3	50	12/3	SJTW - 15A Rated	4 Color Wrapper
SL-759L	34734 1	2	27.3	100	12/3	SJTW - 15A Rated	4 Color Wrapper
SL-773L	10773 0	2	23.7	50	10/3	SJTW - 15A Rated	4 Color Wrapper
SL-774L	10774 7	1	23.1	100	10/3	SJTW - 15A Rated	4 Color Wrapper

OSHA NRTL Compliant



Temp rating 105°C

Extension Cord w/Lighted Ends & 3 Outlets

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-735L	10159 2	6	7.6	6	12/3	SJTW - 15A Rated	4 Color Wrapper
SL-740L	10161 5	12	33.8	25	14/3	SJTW - 15A Rated	4 Color Wrapper
SL-741L	10162 2	6	31.3	50	14/3	SJTW - 15A Rated	4 Color Wrapper
SL-745L	10163 9	6	62	100	14/3	SJTW - 13A Rated	4 Color Wrapper
SL-746L	10170 7	4	15.9	25	12/3	SJTW - 15A Rated	4 Color Wrapper
SL-747L	10171 4	2	14.7	50	12/3	SJTW - 15A Rated	4 Color Wrapper
SL-748L	10172 1	2	29.3	100	12/3	SJTW - 15A Rated	4 Color Wrapper

OSHA NRTL Compliant




Temp rating 105°C

Extension Cord w/Non-Lighted Ends & Single Outlet

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-725	10128 8	18	35	25	16/3	SJTW - 13A Rated	4 Color Wrapper
SL-750	10129 5	12	46.6	50	16/3	SJTW - 13A Rated	4 Color Wrapper
SL-751	10164 6	6	44.5	100	16/3	SJTW - 10A Rated	4 Color Wrapper

OSHA NRTL Compliant



Temp rating 105°C

Extension Cord w/Non-Lighted Ends & 3 Outlets

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-763	34713 6	12	8.6	6.5ft / 2M	16/3	SJTW - 13A Rated	4 Color Wrapper
SL-764	34714 3	12	11.6	9.8ft / 3M	16/3	SJTW - 13A Rated	4 Color Wrapper
SL-767	34717 4	6	8.6	16.4ft / 5M	16/3	SJTW - 13A Rated	4 Color Wrapper

All Season Extension Cord w/Lighted Ends & Single Outlet

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-990	34739 6	18	34	25	16/3	SJEOW - 13A Rated	4 Color Wrapper
SL-991	37340 1	12	41.7	50	16/3	SJEOW - 13A Rated	4 Color Wrapper
SL-992	34741 9	6	39	100	16/3	SJEOW - 10A Rated	4 Color Wrapper
SL-993	10114 1	12	29	25	14/3	SJEOW - 15A Rated	4 Color Wrapper
SL-994	10115 8	6	29.6	50	14/3	SJEOW - 15A Rated	4 Color Wrapper
SL-995	34744 0	6	52	100	14/3	SJEOW - 13A Rated	4 Color Wrapper
SL-996	34745 7	4	14.6	25	12/3	SJEOW - 15A Rated	4 Color Wrapper
SL-997	34746 4	2	13.5	50	12/3	SJEOW - 15A Rated	4 Color Wrapper
SL-998	34747 1	2	25.9	100	12/3	SJEOW - 15A Rated	4 Color Wrapper

OSHA NRTL Compliant




Temp rating 105°C



All Season Extension Cord w/Lighted Ends & 3 Outlets

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-768	34718 1	6	9.4	16.4ft / 5M	16/3	SJEOW - 13A Rated	4 Color Wrapper
SL-9102	09102 2	6	4.4	2	12/3	SJEOW - 15A Rated	4 Color Wrapper
SL-9104	09104 6	6	22.1	25	12/3	SJEOW - 15A Rated	4 Color Wrapper
SL-9106	09106 0	6	41.4	50	12/3	SJEOW - 15A Rated	4 Color Wrapper
SL-9108	09108 4	2	26.1	100	12/3	SJEOW - 15A Rated	4 Color Wrapper

OSHA NRTL Compliant



Temp rating 105°C



6 Outlet Power Strip / Surge Protector - 73 Joules of Suppression

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-736	10160 8	10	11	4.5	14/3	SJT	Box



9ft Extension Cord w/3 Outlets

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-731	10158 5	36	15.4	9	16/2	SPT-2	Wrapper



Booster Cables

SL-3002

12ft

Page 31



250amp
Light Duty

SL-3008

20ft

Page 31



500amp
Extra Heavy Duty

SL-3005

16ft

Page 31



400amp
Medium Duty

SL-3010

25ft

Page 31



800amp
Extreme Duty

Light-Duty 250amp Booster Cable - Side/Top Jaw Design

Copper Plated Steel Jaws


Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-3000	03000 7	12	26	8	10	Red/Black	Wrapper
SL-3001	03001 4	10	27.6	12	10	Red/Black	Wrapper
SL-3002	03002 1	10	33.1	12	8	Yellow/Black	Sleeve



Medium-Duty 400amp Booster Cable - Side/Top Jaw Design

Copper Plated Steel Jaws


Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-3003	03003 8	6	22.9	12	8	Yellow/Black	Storage Bag
SL-3004	03004 5	6	29.9	12	6	Orange/Black	Box
SL-3005	03005 2	6	35	16	6	Orange/Black	Box



Heavy-Duty 400amp Booster Cable - Parrot Jaw Design

Copper Plated Steel Jaws


Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-3006	03006 9	6	49.9	16	4	Blue/Black	Box



Extra Heavy-Duty 500amp Booster Cable - Parrot Jaw Design

Copper Plated Steel Jaws

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-3008	03008 3	4	40.2	20	4	Blue/Black	Box
SL-3029	03029 8	2	31.9	20	2	Black/Black	Case w/Sleeve
SL-3009	03009 0	2	40.4	25	2	Black/Black	Case w/Sleeve



Extreme-Duty 800amp Booster Cable - Extra Heavy-Duty Jaw Design

Zinc Plated Steel Jaws

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Cord Length (ft)	Cord Gauge	Cord Jacket	Pkg
SL-3010	03010 6	2	47.1	25	1	Red/Black	Case w/Sleeve



Replacement Parts

SL-260

Page 33 & 34



Replacement Light Handles

SL-151

Page 37



Replacement
Electrical
Plugs

SL-100-6

Page 35



Replacement Lamp Guards
Metal, Non-Metallic

SL-104

Page 38



Replacement Bulbs
Fluorescent
Halogen

Replacement Fluorescent Head

Fits 651 & 826

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-150	10083 0	6	8.2	Box



Replacement Fluorescent Head

Fits 827

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-181	10044 1	6	5.2	Box

OSHA NRTL Compliant



Replacement Fluorescent Head

Fits 825 & 8907

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-200	10097 7	6	8.8	Box



Replacement Fluorescent Head

Fits 875 & 8908

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-908H	10038 0	1	1.5	Box



Replacement Fluorescent Head

Fits 821

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-194	10040 3	6	8.8	Box



Replacement Parts



Replacement LED Head (includes Magnetic Hook)

Fits 864

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-260	80113 3	6	4.4	Box



Replacement Incandescent Handle & Switch Assembly

Fits 450 & 840

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-101A	10174 5	6	1.7	Plastic Bag w/Header Card



Replacement Incandescent Work Light Head w/ Metal Guard & Single Outlet

Fits 450 & 840



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-204	10101 1	6	5.2	Box



Replacement Tube Assembly

Fits 507, 512, 513, 520, 550, 651, 825, 826, 907, 920C, 935, 936 & 8907

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-202	10099 1	6	1.5	Plastic Bag w/Header Card



Replacement Tube Assembly

Fits 676, 677 & 827

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-202A	10135 6	6	2.2	Plastic Bag w/Header Card



Replacement Long Tube Lens for Fluorescent Work Light

Fits 623 & 823

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-623L	10253 7	2	1.2	Bag

Replacement Lens for 13w, 18w & 26w Fluorescent Work Lights

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg	Fits
SL-904L	10248 3	6	0.9	Plastic Bag w/Header Card	503, 563, 821, 904 & 964
SL-908L	10037 3	6	1.5	Plastic Bag w/Header Card	875, 908, 975 & 8908
SL-918L	10139 4	6	1.8	Plastic Bag w/Header Card	818 & 918
SL-926L	10025 0	6	1.7	Plastic Bag w/Header Card	926 & 976



SL-908L Shown

Replacement Non-Metallic Lamp Guard

Fits 406, 412 & 421

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-105	10016 8	12	2.9	Plastic Bag w/Header Card



Replacement Metal Bulb Guard

Fits 425, 425A, 426, 426A, 450, 840 & 851


Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-100-6	10013 7	6	2.4	Plastic Bag w/Header Card



Replacement Non-Metallic Bulb Guard

Fits 7306, 7308, 7406 & 7408 String Lights

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-166	00166 3	20	5.6	Plastic Bag w/Header Card



Replacement Metal Bulb Guard

Fits 7316 & 7318 String Lights

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-167	00167 0	20	11.2	Plastic Bag w/Header Card



Replacement Parts

Magnetic Clips for Work Lights



SL-203B Shown

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg	Fits
SL-203B	10229 2	6	1.4	Plastic Bag w/Header Card	503, 507, 512, 513, 520, 550, 563, 651, 676, 677, 821, 825, 826, 827, 904, 907, 918, 920C, 935, 936, 964, 8907, 9000, 9010 & 9014
SL-203C	10260 5	6	3.8	Plastic Bag w/Header Card	818, 908, 918, 926, 975 & 976
SL-203D	10100 4	6	1.5	Plastic Bag w/Header Card	2105, 2106, 2110, 2112, 2130, 2160, 2530, 2560 & 2590

Replacement Cradle Bracket for "Under-the-Hood" Work Light Fits 2120



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
2120-BRACKET	80212 3	1	4.6	Box

Replacement Magnetic Hook



2134-HOOK Shown

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Fits
2134-HOOK	80049 5	1	0.1	2134
2166-HOOK	80050 1	1	0.2	2030, 2116, 2125 & 2166

Replacement Porcelain Ceramic Socket Fits 302 & 303



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
BA-326	80095 2	6	2.1	Clamshell

Replacement Tempered Glass Lens for Halogen Light



SL-1002L Shown

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Fits
SL-1002L	31002 4	1	0.7	1002, 1005 & 1022
SL-1006L	80238 3	1	0.8	1003, 1006, 1032 & 1062
SL-1082L	80239 0	1	1.2	1042, 1075 & 1082

Replacement Yellow Safety Glasses For use with UV Fluorescent Lights



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-113	10030 4	1	0.3	Box

Replacement Nylon Tipped Double Hook

Fits 507, 512, 513, 520, 550, 651, 676, 677, 825, 826, 827, 907, 920C, 935, 936, 8907 & 9000

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-208	10209 4	6	0.6	Box



Replacement Jaws for Booster Cables

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-3012	03012 0	12	6	Plastic Bag w/Header card
SL-3013	03013 7	6 Pair	4.1	Plastic Bag w/Header Card
SL-3014	03014 4	12 Pair	10.2	Plastic Bag w/Header Card
SL-3015	03015 1	6 Pair	8	Plastic Bag w/Header Card

Fits 3000, 3001, 3002

250 Amp

Fits 3003, 3004, 3005

400 Amp

Fits 3006, 3007, 3008, 3009, 3029

500 Amp

Fits 3010

800 Amp



Replacement Plug - NEMA 5-15 - Male

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-151	10140 0	6	1	Plastic Bag w/Header Card



Replacement Plug - NEMA 5-15 - Female

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-152	10141 7	6	1.4	Plastic Bag w/Header Card



Adapter - Single Grounded Outlet Female to 2 Prong Male - 15amp

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-153	10142 4	6	0.6	Plastic Bag w/Header Card



Adapter - 3 Outlet Grounded Female to Single Grounded Male Plug - 15amp

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg
SL-154	10143 1	6	2.3	Plastic Bag w/Header Card



Replacement Battery for 13w Fluorescent Rechargeable Work Light



SLR-9025B Shown

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Fits
SLR-9005C2	34725 9	2	1.6	Single Capacity 9000 & 9010 Series Fluorescent & UV Fluorescent Work Lights
SLR-9025B	39025 5	1	1.2	Dual Capacity 9012 & 9014 Series Fluorescent & UV Fluorescent Work Lights

Replacement Fluorescent Bulb



SL-103PDQ Shown

Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg	Watts	Fits
SL-229PDQ	10183 7	12	1.6	Clamshell	9	818 & 918
SL-103PDQ	10011 3	12	1.6	Clamshell	13	503, 507, 520, 550, 563, 651, 676, 677, 821, 825, 826, 827, 904, 907, 920C, 935, 936, 964 & 8907
SL-104PDQ	80052 5	12	1.6	Clamshell	26	908, 926, 975, 976 & 8908
SL-213PDQ	10258 2	12	1.5	Clamshell	13	9000 Series White Fluorescent Work Lights
SL-223	10186 8	6	1.5	Box	15	623 & 823

Replacement UV Fluorescent Bulb



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Fits
SL-129	10090 8	6	0.8	9000 Series UV Fluorescent Work Lights
SL-513-BULB	10045 8	6	0.7	513

Replacement Halogen Bulb



Part No	UPC 0 17398	Case Qty	Case Wt (lbs)	Pkg	Watts	Fits
SL-209PDQ	10168 4	12	1.1	Clamshell	500	1002, 1003, 1005, 1006, 1022, 1042, 1075 & 1082
SL-217PDQ	10243 8	12	1.3	Clamshell	500	1002, 1003, 1005, 1006, 1022, 1042, 1075 & 1082
SL-225PDQ	10059 5	12	1.2	Clamshell	250	1042, 1075 & 1082
SL-230PDQ	10061 8	12	1.4	Clamshell	300	1032 & 1062

Replacement Parts Guide

Model Number	Bulb	Handle	Hook	Lamp Guard	Lamp Head	Lens	Magnet
SL-503, SL-563, SL-904, SL-964	SL-103PDQ					SL-904L	SL-203B
SL-507, SL-520, SL-550 SL-907, SL-935, SL-936, SL-920C	SL-103PDQ		SL-208			SL-202	SL-203B
SL-676, SL-677	SL-103PDQ		SL-208		SL-181	SL-202A	SL-203B
SL-918	SL-229PDQ		SL-218			SL-918L	SL-203C
SL-623	SL-223					SL-623L	
SL-512	SL-213PDQ		SL-208			SL-202	SL-203B
SLR-9000CPDQ, SLR-9010 SLR-9014	SL-213PDQ		SL-208				SL-203B
SL-926, SL-976	SL-104PDQ		SL-218			SL-926L	SL-203C
SL-908, SL-975	SL-104PDQ					SL-908L	SL-203C
SL-412, SL-406, SL-421				SL-105			
SL-425, SL-426, SL-425A, SL-426A				SL-100-6			
SL-450, SL-840		SL-101A		SL-100-6	SL-204		
SL-513	SL-513-BULB		SL-208			SL-202	
SL-851				SL-100-6			
SL-651	SL-103PDQ		SL-208		SL-150	SL-202	SL-203B
SL-821	SL-103PDQ				SL-194	SL-904L	SL-203B
SL-826	SL-103PDQ		SL-208		SL-150	SL-202	SL-203B
SL-825	SL-103PDQ		SL-208		SL-200	SL-202	SL-203B
SL-8907	SL-103PDQ		SL-208		SL-200	SL-202	SL-203B
SL-827	SL-103PDQ		SL-208		SL-181	SL-202A	SL-203B
SL-818	SL-229PDQ		SL-218			SL-918L	SL-203C
SL-875, SL-8908	SL-104PDQ		SL-218		SL-908H	SL-908L	SL-203C
SL-1000	SL-235						
SL-1002, SL-1005, SL-1022	SL-209PDQ SL-217PDQ					SL-1002L	
SL-1032, SL-1062	SL-230PDQ					SL-1006L	
SL-1042, SL-1075, SL-1082	SL-225PDQ SL-209PDQ					SL-1082L	
SL-1003, SL-1006	SL-209PDQ					SL-1006L	
SL-2250C	SL-225PDQ						
SLR-2134							2134-HOOK
SL-7318, SL-7316				SL-167			
SL-7308, SL-7306				SL-166			
SL-864, SL-2125, BA-2116					SL-260		2166-HOOK
UVR-9000, UVR-9012B, UVR-9014, UVR-9014G	SL-129		SL-208				SL-203B



Innovation Made Better™



The distinctive shapes, styles, packaging, configurations and overall appearances of Bayco products are trademarks of Bayco Products Inc. The unique LED configuration, body and case shapes inherently identify them as members of the Bayco brand product portfolio. Multiple patents pending.

CAT-PLC-15