

NSP-410

Adjustable Beam Flashlight - 1AA

MARKET APPLICATIONS

Industrial, Automotive, Sporting Goods, Public Safety & Military

DESCRIPTION

The NSP-410 Adjustable Beam Flashlight uses a CREE® LED rated at 115 lumens that works in conjunction with a TIR lens to create a usable beam distance of 72 meters. This compact flashlight features both momentary and constant-on functionality and has a rotating bezel ring that allows the user to adjust the focus of the beam. The housing and tail-cap are made from aircraft-grade 6061-T6 aluminum and have a Type III hard anodized finish. Power comes from a single AA battery (included).

CASE MATERIAL Aircraft-grade 6061-T6 Aluminum w/Type II Hard Anodized Finish - Black

DIMENSIONS Length: 4.25 inches (108 mm) • Head Diameter 1 inch (26 mm) • Handle Diameter: 0.88 inches (22 mm)

WEIGHT Weight: 3.3 oz. (94 g) with batteries installed.

LIGHT SOURCE

Unbreakable polycarbonate with scratch resistant coating.

Cree® LED. Impervious to shock with a 50,000 hour lifetime.

LIGHT OUTPUT Flashlight - 115 lumens

ON/OFF Single Tail Cap Switch - Momentary or Constant-on Flashlight

RUN-TIME Flashlight - 1 hour **BATTERY** 1 Included AA

• CREE® LED technology – 50,000+ hours LED

Momentary or constant-onAdjustable flashlight beam

TIR lens

· Beam distance of 72 meters

Rotating bezel ring

• Aircraft-grade 6061-T6 aluminum housing, bezel & tail-cap

• Type III hard anodized finish

· Non-slip grip

· Textured tail-switch

· Waterproof

Impact & chemical resistant

• Powered by 1 AA battery (included)

WARRANTY

*Limited 1-Year Warranty • Bayco Products, Inc. warrants this product to be free from defects in workmanship and materials to the original purchaser for one (1) year from the date of purchase, and includes the LEDs, housing, lenses, electronics, switches, rechargeable batteries and chargers. Bulbs (other than LEDs) are covered for ninety (90) days from the date of purchase. Disposable non-rechargeable batteries are excluded from this warranty. Normal wear and failures which are caused by accidents, misuse, abuse, faulty installation and lightning damage are also excluded.

APPROVALS



